

Userlane Language Detection

Last Modified on 10.11.2023

About Userlane Language Detection

Userlane automatically detects the language of your application and of the user's browser to match a user's language preferences.

Language Detection Priorities

Userlane detects languages based on a priority list. You can find that below:

Priority 1: Language is taken from the settings of the application (lang Command)

Priority 2: Language is taken based on your language settings in the Userlane Portal

Priority 3: Based on the HTML tag

Priority 4: Based on Meta information

Priority 5: Based on the browser language

Priority 6: The language falls back to the default language defined in the Userlane Portal

i In case the application has the language tag hard-coded in the app's HTML, please contact your Customer Success Manager. As in those cases, we can adjust the language detection from our side, which will prioritize the end user's browser language over the application's language.

Defining a specific Language

If you want to make sure that Userlane always uses the same language as your application, you can explicitly define the language that Userlane should use with the language command.

This is especially useful if your application offers a language setting and does not define its language in the standard html lang-Attribute:

```
// set the language of userlane
Userlane('lang', 'language_code');
```

Your language_code might be a 2 letters code (like 'en' or 'de') or a 5 letters code (like 'en-us' or 'en-gb').

Best Practices

- The language code used in the command should exactly match the language key that was used when the language was created in the Portal.
- Keep in mind, that the language you pass via the language command must exist and be public in the Userlane Portal. Otherwise, Userlane will take the defined default language instead.